



CLIMATE CHANGE ASSESSMENT AND AGRICULTURE IN GEM: ALTERNATIVE MODELING STRATEGIES

By **Ruslana Rachel
Palatnik**

CMCC, Fondazione Eni Enrico
Mattei, University of Haifa, The
Max Stern Academic College
Of Emek Yezreel
ruslana.palatnik@feem.it

and **Roberto Roson**

CMCC, Università Cà Foscari di
Venezia


SUMMARY Agricultural sectors play a key role in the economics of climate change. Land as an input to agricultural production is one of the most important links between economy and the biosphere, representing a direct projection of human action on the natural environment. Agricultural management practices and cropping patterns exert an enormous effect on biogeochemical cycles, freshwater availability and soil quality. Agriculture also plays an important role in emitting and storing greenhouse gases. To consistently investigate climate policy and future pathways for the economic and natural environment, a realistic representation of agricultural land use is essential. Computable General Equilibrium (CGE) models have increasingly been used for this purpose. CGE models simulate the simultaneous equilibrium in a set of interdependent markets, and are especially suited to analyze agricultural markets from a global perspective. However, modeling agricultural sectors in CGE models is not a trivial task, mainly because of differences in temporal and geographic aggregation scales. This study surveys some proposed modeling strategies, reviewing the available literature and highlighting the different tradeoffs involved in the various approaches.

Keywords: Computable General Equilibrium (CGE), Partial Equilibrium (PE), Agriculture, Land Use, Climate Change

JEL: C68, D58, Q24, Q51, Q54

*This paper has been
produced within the
framework of the project
CIRCE - Climate Change
and Impact Research:
the Mediterranean
Environment, contract N.
036961, funded by the
European Commission
within the Sixth
Framework Programme*

□



INTRODUCTION

Relationships between greenhouse effects and agricultural activity are usually and primarily considered in terms of the impact of climate change on agriculture. Food production will be particularly sensitive to climate change, because crop yields largely depend on prevailing climate conditions (temperature and rainfall patterns).

Agriculture currently accounts for 24% of world output, employs 22% of the global population, and occupies 40% of the land area. 75% of the poorest people in the world (the one billion people who live on less than \$1 a day) live in rural areas and rely on agriculture for their livelihood (Bruinsma, 2003). Forecasts predict that agriculture in higher-latitude developed countries is likely to benefit from moderate warming (2 -3°C). However, even small amounts of climate change in tropical regions will lead to declines in yield. The agricultural sector is one of those most vulnerable to the damaging impacts of climate change in developing countries (Stern, 2006).

Agricultural emissions mainly come from a large number of small emitters (farms), over three quarters of which are in developing and transition economies. In its climate-change report on mitigation, the Intergovernmental Panel on Climate Change (IPCC, 2001) clearly assesses that transport and energy production industries constitute the main anthropogenic GHG sources, while "agriculture contributes only about 4% of global [i.e. worldwide] carbon emissions from energy use, but over 20% of anthropogenic GHG emissions in terms of MtC-eq/yr¹, mainly from methane (55-60% of total CH₄ emissions) and nitrous oxide (65-80% of total N₂O emissions) as well as carbon from land clearing". The IPCC (2007) report states that "the largest growth in global GHG emissions between 1970 and 2004 has come from

the energy supply sector (an increase of 145%). The growth in direct emissions in this period from transport was 120%, industry 65% and land use, land use change, and forestry (LU-LUCF) 40%. Between 1970 and 1990 direct emissions from agriculture grew by 27%".


Emissions from agriculture and land use occur through different processes (IPCC, 1996; Alcamo, Leemans, and Kreileman, 1998): enteric fermentation and animal waste disposal and fermentation, anaerobic processes in rice-growing, nitrification and de-nitrification linked with fertilization, and also land clearing and burning of biomass, fuel wood, agricultural waste, and savannah. Non-CO₂ emissions from agriculture amount to 14% of total GHG emissions. Of this, fertilizer use and livestock each account for one third of emissions. Over half of GHG emissions are from developing countries. Agriculture is also indirectly responsible for emissions from land-use change (agriculture is a key driver of deforestation), industry (in the production of fertilizer), and transport (in the movement of goods). Increasing demand for agricultural products, due to rising population and income per capita, is expected to lead to continued rises in emissions from this source. Total non-CO₂ emissions are expected to double in the period 2000-2050 (Stern, 2006).

Nevertheless, agriculture can contribute to GHG sequestration and abatement, mainly through reforestation, forest management, bio-fuels and soil carbon stocking², changes in practices and land uses. Farmers and herders may also react directly to climate policies, imposing a carbon price to GHG-emitting activities.

The potential role of emitting sectors for mitigation, abatement or sequestration options is currently being debated. Could and should agriculture modify its present land-use patterns and agricultural practices for the explicit purpose of

¹ MtC-eq/yr are millions of tons of carbon equivalent GHG per year, with global warming potentials of methane, nitrous oxide and other GHG other than carbon dioxide, used as conversion coefficients for non-CO₂ gases

² For a review of carbon sequestration in terrestrial ecosystems, see <http://csite.esd.ornl.gov>.



reducing emissions, while satisfying the world demand for food and other agricultural products? This study surveys some modeling approaches that have been proposed to address this and similar questions. We distinguish partial equilibrium (PE) from computable general equilibrium (CGE) models. PE models depict markets for a selected set of products. Implicitly, they consider these markets as not affecting the rest of the economy, which is accordingly treated as exogenous. They can provide much product detail and are flexible in representing complex agricultural policy instruments and specific characteristics of agricultural markets. CGE models, by contrast, operate at a higher aggregation in terms of industries and products, but they can capture the implications of international trade for the economy as a whole, covering the circular flow of income and expenditure and depicting inter-industry relations. CGE models are therefore well suited to portray the manifold interactions between agriculture and other sectors in the economy.

Moreover, PE modeling has not yet been able fully to account for the opportunity costs of alternative agriculture and land-based mitigation strategies, which are determined by heterogeneous and dynamic environmental and economic conditions of land³ and economy-wide feedbacks that reallocate inputs, international production, and consumers' budgets. CGE economic models are well suited to evaluate these kinds of tradeoff (Hertel, Rose and Tol, 2009). Research on GHG abatement or sequestration options in agriculture employing CGE models stems from a need to evaluate and compare net abatement options of all emitting sectors. However, the general equilibrium approach carries disadvantages also. Critics argue that the CGE models are overly simplistic and omit many important characteristics of the agricultural economy. They also argue that

the CGE parameters need more solid econometric foundations. This paper surveys modeling strategies intended to improve the representation of the agricultural sectors in general equilibrium models. A CGE modeler normally needs to choose between two main alternatives: to develop an integrated assessment model (IAM), namely to couple a top-down CGE model with a bottom-up PE agricultural land-use model, or to improve the relevant functional structure inside the CGE model itself. Each possibility has its own advantages and drawbacks in terms of data requirements, computational practices and accuracy. This review compares several approaches proposed in the literature, possibly providing guidelines for modelers in this field.

Section 2 of the paper overviews some approaches adopted to refine the modeling of agricultural and other land-using sectors in CGE models. Section 3 illustrates the development of enhancing land-related economic behavior in CGE models. Models accounting for ecological aspects of land heterogeneity are presented in Section 4. Section 5 introduces the integrated assessment approach. Section 6 outlines some major achievements, potentials and difficulties of the reviewed studies. The last section draws some conclusions and discusses directions for future development.

OVERVIEW OF AGRICULTURE AND LAND-USE MODELING APPROACHES

This survey focuses on CGE modeling related to agricultural and climate-change assessment. The CGE approach offers several important advantages over PE models, even though the latter are able to include detailed biophysical land use characteristics and to capture better some local environmental and economic effects. Traditional agricultural PE economic

³See Hubacek and van den Bergh (2006) for a review of changing concepts of land in economic theory.



analysis has tended to focus on commodities and associated factor returns. By contrast, welfare in a CGE model is computed directly in terms of household utility and not by some abstract summation of producer, consumer and taxpayer surpluses. Additionally, a CGE model insures for finite resources and accounting consistency by relying on Social Accounting Matrices (SAM). This allows capturing inter-industry linkages between agricultural and non-agricultural sectors of economy and provides an economy-wide perspective of analysis, which is especially important in the context of climate change.


In the last decade especially, different attempts have been made to extend top-down computable general equilibrium models to allow for more detailed analyses of agricultural in-

dustries. Two broad approaches have been adopted. The first is to improve the modeling of land within the CGE framework, mainly the transition of land among different uses, like crop production, livestock and forestry. In section 3 we present several studies that take this direction. Another step is to distinguish various land classes that have different characteristics and productivities and are only suitable for some uses. Some models adopting this strategy, which requires a high level of informational detail, are discussed in section 4. The other approach is to link a macro-economic CGE model with a detailed, sectoral model of agricultural land use. Some examples in this area are discussed in section 5.


Table 1 lists the studies presented in this review.

Table 1: CGE models covered in the review

Modeling framework	Reference	Temporal resolution and coverage	Spatial resolution and coverage	Motivation
1. CGE Models Extended for Land-Use Analyses				
CGE for USA	Hertel and Tsigas (1988)	Comparative static; base-year 1977	7 agricultural sectors, USA	Analyze effects of eliminating farm and food tax preferences in 1977.
GTAP	Hertel (1997)	Comparative static; base-year 2004	Latest available version GTAP7 allows for 113 regional and 57 sectors, global	Evaluate effects of agricultural policies on commodity markets and trade.




GTAPE-L	Burniaux and Lee (2003)	Comparative static; base-year 1997	5 regions, global	Exemplify the incorporation of land/land use in GTAP; assess GHG mitigation policies with focus on land-use impacts
GTAP-AGR	Keeney and Hertel (2005)	Comparative static; base-year 1997	23 regions, global; 5 agricultural sectors	Assess the implications of multilateral changes in agricultural policies
G-Cubed (Agriculture)	McKibbin and Wang (1998)	Dynamic, 1-year step; 1993-2070	12 regions, global; 4 agricultural out of 12 total sectors	Explore the impact of international and domestic stocks like trade liberalization on US agriculture
CGE for Canada	Robidoux et al. (1989)	Comparative static	Canada	Analyze Canadian farm policies
CGE for Philippines	Abdula (2005)	Comparative static	Small open economy, Philippines	Study the conflict between food and bio-fuel production
GTAP-based CGE for Poland	Ignaciuk (2006, chapter 5)	Comparative static 1997	Small open economy, Poland	Explore the potential of biomass as a source of energy




06

GTAP/EM	Hsin et al. (2004); Brooks and Dewbre (2006)	Comparative static; 2001-2020	7 regions, global; 8 agricultural sectors	Analyze the impact of agriculture and non-agriculture reform, with particular focus on the effects of OECD agricultural policy on developing countries
GTAP/Supply Curve	Baltzer and Kløverpris (2008)	Comparative static; 2001	22 regions, global; 15 economic sectors	Analyze changes in global wheat supply and consequences for agricultural land use caused by an increase in US household demand for wheat
FARM	Darwin et al. (1996)	Comparative static; 1990-2090	Multi-scale: 8 world regions, 0.5 lon/lat	Integrate explicit land and water assessment into CGE, environmental focus on climate change
D-FARM	Ianchovichina, Darwin and Shoemaker (2001); Wong et al. (2003)	Recursive dynamic 1997-2007/2020	Multi-scale: 12 world regions	Analyze resource use and technological progress in agriculture



GTAP-AEZ	Lee (2004); Lee et al. (2009)	Comparative static, 2001	8 agricultural sectors + forestry, 3 world regions	Investigate the role of global land use in determining greenhouse gases mitigation costs
GTAP-Dyn/AEZ modified for land-use analyses	Golub et al. (2006)	Recursive dynamic 1997-2025	11 regions, global	Analyze GHG emissions driven by land use and land-use changes on the global scale.
GTAP-Dyn and Global Timber Model	Golub et al. (2009)	Recursive dynamic 1997-2025	11 regions, global	Enhance understanding of land-use related GHG emissions
2. Integrated Assessment Models				
GTAP-LEI/IMAGE coupling within EURURALIS	Klijn et al. (2005)	10-year steps; 2001-2030	Multi-scale: national level, sub-national level (NUTS2), grid level; global with focus on EU15	Integrated assessment to evaluate impacts of different policies on land use in Europe
GCM-GTAP	Bosello and Zhang (2005)	Comparative static; 1997-2010-2030-2050	8 regions, global; 4 agricultural out of total 17 sectors	Estimate economy-wide implications of climate change on agricultural sectors
KLUM@GTAP	Ronneberger et al. (2009)	Comparative static; 1997-2050	16 regions, global; 4 agricultural out of total 17 sectors.	Assess integrated impacts of climate change on global cropland allocation and its implications for economic development



REFINED CGE MODELS

Conceivably the simplest method of introducing endogenous land-use allocation in a CGE model is to constrain industrial land stock through a Constant Elasticity of Transformation (CET) function, by which an aggregate endowment of land is transformed across alternative uses, subject to some transformation parameters, determining the responsiveness of land supply to changes in relative yields. Land owners rent out land to uses that give the highest return, under the CET constraint. Perfect competition on input and output markets assures that all markets, including that of land, clear.

This was the approach taken by Hertel and Tsigas (1988). Given a specific elasticity of transformation, rental rates differ across uses, and acreage response may be calibrated to econometrically estimated values. The Global Trade Analysis Project (GTAP) (Hertel, 1997) also follows this approach, defining the land input as an imperfectly substitutable factor among different crops or land uses.


The Global Trade Analysis Project, Energy - Land model (GTAPE-L) (Burniaux, 2002; Burniaux & Lee, 2003) extends the standard GTAP model to track inter-sectoral land transitions to estimate emissions of CH₄, CO₂ and N₂O. To get land emission rates, a land transition matrix (which shows changes of land status over a given period of time) is derived from the IMAGE 2.2 model (IMAGE, 2001), based on 1995 net carbon emissions estimates (tons of carbon equivalents). By multiplying the land emission rates with the simulated land-use changes, one can estimate the implied variation in GHG emissions due to changes in land use.

Keeney and Hertel (2005) offer another special-purpose version of the GTAP model for agriculture, called GTAP-AGR. The study focuses on factor markets, which play a critical role in de-

termining the incidence of producer subsidies, by modifying both the factor supply and derived demand equations. The authors also modify the specification of consumer demand, assuming separability of food from non-food commodities. Finally, they introduce substitution possibilities amongst feedstuffs used in the livestock industry.

The G-CUBED (Agriculture) model (McKibbin and Wang, 1998) is an extension and variant of the G-CUBED model, developed by McKibbin and Wilcoxon (1998), which includes relatively detailed agricultural sectors and a country disaggregation relevant to US agricultural markets. The G-CUBED model combines the disaggregated, econometrically estimated, intertemporal CGE model of the US economy of Jorgenson and Wilcoxon (1990) with the macroeconomic model of McKibbin and Sachs (1991). The G-CUBED (Agriculture) model was primarily designed to analyze impacts of international and domestic shocks on US agriculture, like the APEC trade liberalization and the Asian economic crisis. However, the model treats land as homogeneous. A specific feature of the model is the imposition of intertemporal optimization under perfect foresight for households and governments in consumption and investment decisions. The studies above exemplify the foremost attempts to deal with agriculture and land in CGE models. Their range of applicability is limited by the way land is represented, as the latter is treated as homogeneous and space-less, with disregard of biophysical characteristics and spatial interactions. To overcome these limitations, a distinction between land types and land uses must be introduced, which implies a significant increase in the models' complexity.

For example, in their CGE model for Canada, Robidoux et al. (1989) specify CES aggregator functions that combine three land types, each



of which is used - to some degree - in the production of six different farm products. Their approach is original in the way they estimate benchmark equilibrium rental rates, differentiated by land type. These are obtained by regressing total land rents in each sector on the observed quantity of each land type used in that sector. The basic assumption is that in equilibrium the land-specific rental rate (i.e., the coefficient on acreage) must be equal across uses.

Abdula (2005) and Ignaciuk (2006, chapter 5) also follow this approach. Abdula uses a static CGE model for the Philippines and enlarges it with a bio-fuels sector, to study the conflict between food and bio-fuels production. Since both activities use scarce land, subsidizing bio-fuels may induce farmers to move away from food production to the production of inputs for the bio-fuel industry. Land is treated as a heterogeneous factor, including three land types (cropland, pasture and forest, all in fixed supply), some of which are only suitable for particular uses. Ignaciuk (ibid.) considers land contaminated by heavy metals, e.g., through mining and industrial activities in the past, in a GTAP-based CGE model for the Polish economy. Contaminated land can only be used for bio-fuels production, so it is excluded from producing food. Therefore, land is treated explicitly as a heterogeneous input.

GTAP-EM (Hsin et al., 2004; Brooks and Dewbre, 2006) is a specially tailored version of GTAP that inherits some of the features of GTAP-AGR, utilizing domestic support data (PSE) from the OECD. GTAP-EM augments GTAP-AGR by distinguishing land in the production structure of agricultural sectors into miscellaneous agricultural land, rice, and the group field crops and pastures. For these land types, three different elasticities of transformation are defined. Additional modifications include factor substitution between purchased


farm input intermediates, and between the aggregate intermediates and farm-owned inputs.

In general, the problem with the CET approach is that the "transformation" of land from one use to another destroys the ability to track the allocation of hectares across agricultural activities. Instead of constraining the sum of hectares across uses to equal the total availability of hectares in a given country, the CET function constrains the land rental share weighted sum of hectares to equal the total endowment of land. In this framework, differential land rents reflect differences in the effective productivity of a given hectare of land across uses and it is these effective hectares that are constrained in the aggregate (Hertel, Rose and Tol, 2009). This is not a big problem only when reporting land-use shifts as percentage changes is sufficient. However, in most of the analyses focused on land use this is not sufficient. Also, given the lack of an explicit link to yields and the underlying heterogeneity of land, this model is difficult to validate against the observed data.

In short, while it is an extremely versatile approach to limiting factor mobility across uses, the CET function suffers from several major limitations. Baltzer and Kløverpris (2008) partially solve this problem by requiring that average productivity for all types of land remain the same. This resolves the acreage inconsistency, but it may create another discrepancy: between different concepts used in the allocation of land and in the production function. A more explicit approach to handling land heterogeneity in deeper theoretical foundation would be desirable.

MODELING AGRO-ECOLOGICAL ZONES (AEZS)

The approach illustrated above focuses on land types, without considering regional or climatic



10

differences. However, the capacity of a given acre of land to produce a particular farm product varies with soil type, location in the watershed, and climatic conditions.

The Future Agricultural Resources Model (FARM) was developed in the mid-1990s to evaluate impacts of global climate change on the world's agricultural system (Darwin et al., 1995; Darwin et al., 1996). The authors disaggregate land classes into six types, characterized by the length of the growing season, and identify water as an input in the production function of each crop. These land classes are employed differentially across farming and forestry sectors, according to observed patterns of production.

The model has been used to assess the impact of alternative climate-change scenarios on patterns of agricultural production, trade, consumption and welfare. While FARM was originally a static model, a dynamic version, denoted D-FARM, is now available. The latter is a recursive dynamic model based on estimates of annual growth rates of regional GDP, gross domestic investment, population, and skilled and unskilled labor (Ianchovichina et al., 2001; Wong and Alavalapati, 2003).

GTAP-AEZ (Lee et al., 2009) continues along these lines, but with much superior data and more structured production functions. This model considers different land inputs which are imperfectly substitutable in the production function within, but not across, climatic zones.


In the first version of GTAP-AEZ (Lee, 2004), it is assumed that each of the land-using sectors in a specific Agro-Ecological Zone (AEZ) has its unique production function. For example, the wheat sector located in AEZ 1 has a different production function from the wheat sector located in AEZ 6. This allows identifying differences in the productivity of land in different

climatic conditions. Yet all six wheat sectors in various AEZs produce the same homogeneous output. For this approach, information is needed on cost shares and respective input shares in the AEZs, which are not yet provided in the GTAP-AEZ database.

In the extended version of GTAP-AEZ (Lee et al., 2009) it is assumed, instead, that a single national production function exists for each (agricultural) commodity. Various AEZs are inputs in the national production functions, where they can be combined through a quite high elasticity of substitution.

Golub et al. (2006) move one step further and expand the GTAP-Dyn (Ianchovichina and McDougall, 2001) dynamic general equilibrium model of the global economy to investigate long-run land-use changes on the global scale. They modify both the supply and the demand of land. Consumer demand is translated into derived demands for land through a set of sectoral production functions, differentiating the demand for land by AEZ. On the supply side, land mobility across uses is addressed via a sequence of increasingly sophisticated models of land supply, beginning with one in which land is perfectly mobile and undifferentiated, and ending with one in which land mobility across uses is governed by a nested CET function which also accounts for the heterogeneity of land within AEZs. In this final formulation, land owners solve a sequential revenue maximization exercise, in which land is first allocated between forestry and agriculture, then between grazing and crops, and finally, among competing crops. Although this ultimate version offers the most sensible representation of land supply, the resulting baseline land-rental changes in forestry and grazing seem (to the authors) unrealistically high.

To resolve this problem, Golub et al. (2009) iterate between GTAP-Dyn and the Global Tim-



ber Model of Sohngen and Mendelson (2006), to determine forestry input-augmenting productivity growth of forestry processing sectors in GTAP-Dyn. Using the rate of unmanaged forest access predicted by the Global Timber Model, Golub et al. introduce the possibility of conversion of unmanaged forest-land to land used in production, when demand for cropland and pasture is high and land rents are high enough to cover costs of access to unmanaged land.

To summarize, the AEZ methodology is analogous to the CET approach, but it is based on an explicit yield heterogeneity. The main limitations of AEZ are data requirements and corresponding modeling difficulties connected to operating a large-scale model.

INTEGRATED ASSESSMENT METHOD


Instead of modeling the economics of land use as a part of a CGE model, as in the models presented in the two previous sections, a detailed bottom-up land allocation model is linked to a CGE in some Integrated Assessment Models. On the basis of relative prices estimated by a CGE, a land-use model can predict how land is allocated among competing uses. A certain land allocation could therefore be taken as exogenous in the CGE model. Generally the process is iterated until a reasonable convergence can be found.

In the EURURALIS project the IMAGE model is coupled to GTAPEM (Hsin et al., 2004; Klijn et al., 2005). Crop yields and a feed conversion factor, determined by IMAGE, are exchanged with production of food and animal products and a management factor (describing the management induced yield changes) as calculated by GTAPEM (van Meijl et al., 2006). The advantage of coupling the two comprehensive models lies in detailed and exhaustive process representation. Moreover, this is one of the few

approaches where a feedback between economy and vegetation is at least partly realized. However, the land allocation tool of the coupled framework is still based on empirically estimated rules according to land potential, largely disregarding economic motivations of allocation decisions.

Bosello and Zhang (2005) offer another integrated assessment exercise to evaluate climate change impact on agriculture. They couple a global circulation model GCM containing a crop-growth model with a global CGE model based on GTAP-E. The climatic scenario is endogenously produced by the economic model, which is benchmarked to reproduce a hypothetical world economic system in 2010, 2030 and 2050. Their results confirm both the limited impact of climate change on agricultural sectors, largely determined by the smoothing effect of economic adaptation, but also the relatively higher penalization of the developing world. The authors admit that this exercise suffers from some major limitations, such as simplifications and generalizations of both climatic conditions and crop responses, and the small number of observations.

KLUM@GTAP (Ronneberger et al., 2009) is another coupling exercise in which a static global GTAP-based CGE model is linked to the land use model KLUM. The latter is a land allocation PE model, in which, for each hectare of land a representative farmer maximizes her expected profits. Risk-aversion ensures that she prefers multi-product land uses over monoculture. The biophysical aspects of land are included indirectly, as area-specific yields differ for each unit of land. In the coupling experiment, yield changes due to climate change in 2050 (as reported by Tan et al., 2003) are applied to KLUM, which calculates the corresponding changes in land uses. These in turn are fed into the GTAP-based model to obtain



12

management-induced yield and price changes (through changes in input combinations), which then are fed back into KLUM.

Although the experiment shows that the results of the coupled and uncoupled simulations can vary substantially, it also shows that linking the models encounters serious difficulties. One is that GTAP has its land data in value terms, with prices normalized to unity, while the KLUM database uses a quantity format. This makes the models' land data incomparable. To overcome this limitation, a key parameter in GTAP (the elasticity of substitution among land, capital and labor) had to be tripled, to make the model less sensitive to the input that comes from the KLUM model. Without this intervention, the results of the two models would not converge.

In sum, the ideal case of a joint solution of a CGE and PE is no different from the solution of a single extended CGE. Assuming that the original CGE is given in reduced form and the PE as a constrained optimization problem, the extended IAM is constructed by merging the original CGE equations with the Kuhn-Tucker conditions of the PE. Some of the previously exogenous items (the parameters) of the CGE and the PE become endogenous in the new equation system, and new functions are added that map CGE variables to PE parameters, and vice versa (Banse and Grethe, 2008).

In practice, perfect integration of the models may be difficult to obtain for technical as well as to theoretical reasons, and special solution methods may be required to reach equilibrium. Furthermore, the PE and CGE models are often implemented in different software, and the system must be solved iteratively, without any guarantee of convergence.


Another challenge in linking models is to obtain a joint baseline. The models may rely on different data sources, may use different units of

measurement and may be based on different assumptions. The task of the joint baseline calibration is essentially to choose parameters of the mapping and aggregation functions so that if no exogenous shock is introduced, the stand-alone models give precisely the same result as the linked system.

MAJOR ACHIEVEMENTS, DEFICITS AND POTENTIALS

Two major approaches to more accurate representation of agriculture in CGE models can be found in the reviewed literature. Introducing heterogeneity of available land, as outlined in sections 3 and 4, enhances the applicability of CGE models in analyses which involve changes in agricultural production. Linking a CGE to a PE land use model, as presented in section 5, improves realism even further, but it may come at a cost due to technical problems of establishing the link between different models and obtaining convergence in the iteration process.

The surveyed (representative) studies are still not sufficient to provide an all-inclusive analytical framework for the various aspects of modeling agriculture for climate-change analysis such as global coverage; a dynamic and long-term horizon; multiple GHG emissions; land heterogeneity; water issues; tradeoff between different land uses. However, some models, like GTAP-Dyn/AEZ and D-FARM, do address many of these issues. Both models have a detailed and heterogeneous representation of land, based on length of growth periods. An important advantage of the current version of GTAP-Dyn/AEZ is its multi-gas and dynamic approach, while the advantages of D-FARM are the inclusion of water and a broader regional coverage. On the other hand, both models have only a single forest type, do not consider a bio-fuels sector, and have limited regional disag-



gregation. GTAP-Dyn/AEZ currently only has three world regions, while D-FARM contains no more than 12 regions.

A fundamental problem in modeling agriculture and forestry production at the sub-national level involves estimation of input usage and production by spatial unit. The GTAP-AEZ model circumvents this problem, by having a single, national production function in which land types from different AEZs substitute one another. Hertel et al. (2009b) show that this is a legitimate approximation to an approach in which production on each AEZ is modeled separately, provided that (a) the sub-sectors (i.e., different AEZs) produce identical products, (b) non-land input-output ratios are the same across AEZs, (c) common non-land input prices prevail across AEZs, and (d) the elasticity of substitution between AEZs in a given land use is set very high. These assumptions, combined with cost minimization and zero pure profits, mean that land rents must vary in direct proportion to yields. It would be useful to test the requisite hypotheses for key countries, using disaggregated data on inputs and prices. Of particular interest is the extent to which non-land input-output ratios vary systematically with AEZs, either due to differences in choice of technique across different land qualities or due to differing input prices. If this proves to be the case, then the simple rule of proportionality between yields and land rents, as well as the capacity of an aggregate production function to capture the impact on the derived demand for land, are both doubtful.

An additional disadvantage common to CGE models is due to non-linear treatment of land in the production functions, whereby land cannot be measured in physical units of area but instead is quantified through monetary units in the value added. This complicates the interpretation of the resulting changes in land allo-


cation. Another weakness of the most developed CGEs for agricultural and climate change analysis (like GTAP-EM and GTAP-Dyn/AEZ) is the absence of empirical evidence of the land transformation structure and related elasticities, which may have a crucial effect on the models' performance.

Integrated land-use modeling approaches show that some of the intrinsic limitations of PE and CGE models can be overcome to a certain extent. The coupling of IMAGE and GTAP-LEI (EURURALIS), as well as linking of KLUM and GTAP, aim to overcome the weakness of the economic demand module in IMAGE and KLUM respectively, and to better the representation of land supply in the corresponding GTAP version.

On the other hand, despite certain achievements, the full potential of integrating CGE and PE models seems not yet fully explored, as the advantages stand against the risk of inconsistencies and redundancies. EURURALIS, for example, lacks endogenous methods to determine whether food demand will be satisfied by expansion of agricultural area rather than by intensification. Beyond a more detailed representation of agricultural management, including the feedback with soil and water is also needed. Irreversibly degraded soil and the exhaustion of freshwater resources are major constraints on future land use. These have not yet been sufficiently tackled by any land-use or CGE model.

CONCLUSIONS AND DIRECTIONS FOR THE FUTURE WORK

In this paper we surveyed of the various approaches taken to describe, model and measure the complex relationships of climate change, agriculture and land use. Two major strategies were outlined: internal model extension and soft-link coupling of CGE and PE



14

land-use models. The main message that can be grasped from the relevant literature is that climatic, agricultural and economic information needs to be consistently collated to provide a reliable and sound impact assessment analysis in this field. This is attested by the constant effort to expand the comprehensiveness of the investigation. But despite the achievements and individual strengths of the selected modeling approaches, core problems of global land-use modeling are not yet resolved. To date, the main advantage of the integrated assessment (coupling) (IAM) approach is the ability to benefit from the strength of partial equilibrium, which represents in detail agriculture and land use aspects, in the economy-wide comprehensive framework of the CGE model. Yet IAM encounters major difficulties in the sense of data incomparability, computational limitations and sophisticated programming. In addition, establishing the link may demand theoretically or empirically inconsistent compromises. By contrast, internal extension of a CGE model, through the introduction of new structural relations and corresponding parameters, seems a more feasible and reliable method. However, despite recent developments it still does not compare with IAM for accuracy and realism.

Overall, the modeling of global land-based climate-change mitigation is relatively immature, with significant opportunities for improving baseline and land-use scenarios and better characterizing the emissions and mitigation potential of land. Essential to future land modeling are improvements in the dynamic modeling of regional land-use competition, since the cost of any land-based mitigation strategy should consider the opportunity costs of land. The agricultural soil carbon stock and flux modeling is notably absent from current approaches, even though agricultural soils are thought to offer substantial carbon sequestration potential


(IPCC, 2007). Moreover, technological change will alter the emission rates of agricultural production activities. Explicit consideration of this interaction is important to avoid arbitrary emission growth and to explore emission uncertainties associated with technological uncertainty.

The analysis of bio-fuels within global CGE models meets two main obstacles. The first is data availability. Many of the potentially important bio-fuel technologies (e.g., ethanol from cellulose) are not currently commercially viable, so they do not appear in databases recording current market transactions, like SAMs. Introducing them into the model requires the formulation of an appropriate profile of costs, sales, and even trade shares, to foresee when they will come into production. A related question is profitability: how high energy prices have to rise before these technologies enter into commercial production.

A range of problems also relate to adequately representing forestry in economic models. It takes decades for a new forest to grow, and growth in the forest stock, as well as sequestration potential, depends critically on the type of forest and its vintage. Finally, for comprehensive analyses of climate-change impacts it is important to include water demand and supply, and to distinguish farmland in terms of water access. Berrittella et al. (2007) include water in a global CGE model, but their framework offers only a rudimentary representation of land. Future research will need to integrate such analyses of land and water into a single, global general equilibrium framework.

REFERENCES

Abdula, R. "Climate change policy of bio-energy: A computable general equilibrium analysis." Paper presented at the International Conference on Energy, Environment and Disasters, Charlotte, NC, USA, July 24-30 2005.



Alcamo, J., R. Leemans, and E. Kreileman, eds. *Global Change Scenarios of the 21st Century: Results from the Image 2.1 Model*, Elsevier Science, The Netherlands, 1998.

Baltzer, K., and J. Kløverpris. "Improving the Land Use Specification in the GTAP Model." IFS Working Paper 2008-2. Institute of Food and Resource Economics, Denmark, 2008.

Banse M., and H. Grethe. "Top Down, and a Little Bottom Up: Modelling EU Agricultural Policy Liberalization with LEITAP and ESIM." Paper presented at the GTAP Conference, Helsinki, Finland, June 12-14, 2008.

Berrittella, M., A.Y. Hoekstra, K. Rehdanz, R. Roson, and R.S.J. Tol. "The economic impact of restricted water supply: A computable general equilibrium analysis." *Water Research*, 42 (2007):1799-1813.

Bosello F., and J. Zhang. "Assessing Climate Change Impacts: Agriculture." FEEM Working Paper, 94. 2005.

Brooks, J., and J. Dewbre. "Global trade reforms and income distribution in developing countries." *Journal of Agricultural and Development Economics* 3 (1) (2006):86-111.

Bruinsma, J. (ed) *World agriculture: Towards 2015/2030*. FAO, London: Earthscan, 2003.

Burniaux, J.-M. "Incorporating carbon sequestration into CGE models: A prototype GTAP model with land uses." GTAP Resource 1144. Center for Global Trade Analysis, Department of Agricultural Economics, Purdue University, Indianapolis, USA, 2002.

Burniaux, J.-M., and H.-L. Lee. "Modelling land use changes in GTAP." Paper presented at the Sixth Annual Conference on Global Economic Analysis, The Hague, The Netherlands, June 12 - 14, 2003.

Darwin, R., M. Tsigas, J. Lewandrowski, and

A. Ranases. "World agriculture and climate change: Economic adaptations." *Agricultural Economic Report* 703. Natural Resources and Environment Division, Economic Research Service, US Department of Agriculture, Washington DC, 1995.

Darwin, R., M. Tsigas, J. Lewandrowski, and A. Ranases. "Land Use and Cover in Ecological Economics." *Ecological Economics* 17 (1996):157-181.

Golub, A., T.W. Hertel, H.-L. Lee, and N. Ramankutty. "Modeling Land Supply and Demand in the Long Run." Paper presented at the Ninth Annual Conference on Global Economic Analysis, Addis Ababa, Ethiopia, June 15 -17, 2006.


Golub, A., T.W. Hertel, and B. Sohngen. "Land Use Modeling in Recursively-Dynamic GTAP Framework." *Economic Analysis of Land Use in Global Climate Change Policy*. T. W. Hertel, S. Rose, and R.S.J. Tol, eds., Abingdon: Routledge, 2009.

Hertel, T.W. *Global Trade Analysis*. Cambridge: Cambridge University Press, 1997.

Hertel, T.W., S. Rose, and R. S. J. Tol. "Land Use in Computable General Equilibrium Models: An Overview." *Economic Analysis of Land Use in Global Climate Change Policy*. T. W. Hertel, S. Rose, and R.S.J. Tol, eds., Abingdon: Routledge, 2009.

Hertel, T.W., H.-L. Lee, S. Rose, and B. Sohngen. "Modeling land-use related greenhouse gas sources and sinks and their mitigation potential." *Economic Analysis of Land Use in Global Climate Change Policy*. T. W. Hertel, S. Rose, and R.S.J. Tol, eds., Abingdon: Routledge, 2009.

Hertel, T.W., and M.E. Tsigas. "Tax Policy and U.S. Agriculture: A General Equilibrium Approach." *American Journal of Agricultural Economics* 70(2) (1988):289-302.



Hsin, H., F. van Tongeren, J. Dewbre, and H. van Meijl. "A New Representation of Agricultural Production Technology In GTAP." Paper presented at the 7th Annual Conference on Global Economic Analysis, Washington DC, USA, June 17 - 19, 2004.

Hubacek, K., and J. C.J.M. van den Bergh, "Changing Concepts of Land in Economic Theory: From Single to Multi-Disciplinary Approaches." *Ecological Economics* 56 (2006): 5-27.

Ianchovichina, E., R. Darwin, and R. Shoenmaker. "Resource Use and Technological Progress in Agriculture: A Dynamic General Equilibrium Analysis." *Ecological Economics*, 38 (2001): 275-291.

Ianchovichina, E., and R. McDougall. "Structure of Dynamic GTAP." Center for Global Trade Analysis, Technical Paper 17, 2001.

Ignaciuk, A.M. "Economics of Multifunctional Biomass Systems." PhD dissertation, Wageningen University, The Netherlands, 2006.

IMAGE team. "The IMAGE 2.2 implementation of the SRES scenarios: A comprehensive analysis of emissions, climate change and impacts in the 21st century." RIVM CD-ROM publication 481508018, National Institute for Public Health and the Environment, Bilthoven, The Netherlands, 2001.

IPCC. Revised 1996 IPCC Guidelines for National Inventories. Reference Manual for Agriculture. NGGIP Publication, 1997.

IPCC. Climate Change 2001. Third Assessment Report of the IPCC. Cambridge University Press, 2001.

IPCC. Climate Change 2007: Mitigation of Climate Change. Fourth Assessment Report of the IPCC. Cambridge University Press, 2007.

Jorgenson, D.W., and P. J. Wilcoxon. "Environmental Regulation and U.S. Economic Growth."

The Rand Journal, 21, No.2 (1990): 314-340.

Keeney R., and T.W. Hertel. "GTAP-AGR: A Framework for Assessing the Implications of Multilateral Changes in Agricultural Policies." GTAP Technical Paper 24, 2005.

Klijn, J.A., L.A.E. Vullings, M. van den Berg, H. van Meijl, R. van Lammeren, T. A. van Rheenen, Veldkamp, and P.H. Verburg. The EURURALIS Study: Technical Document. Alterra-rapport 1196., Alterra, Wageningen. 2005.


Lee, H.-L. "Incorporating agro-ecological zoned data into the GTAP Framework." Paper presented at the Seventh Annual Conference on Global Economic Analysis, The World Bank, Washington DC, USA, June 17 - 19, 2004.

Lee, H.-L., T. W. Hertel, S. Rose, and M. Avetisyan. "An integrated global land use data base for CGE analysis of climate policy options." *Economic Analysis of Land Use in Global Climate Change Policy*. T. W. Hertel, S. Rose, and R.S.J. Tol, eds., Abingdon: Routledge, 2009.

McKibbin W.J., and J.D. Sachs. *Global linkages: Macroeconomic interdependence and cooperation in the world economy*. Washington, DC: The Brookings Institution, 1991.

McKibbin, W., and Z. Wang, "The G-Cubed (Agriculture) Model: A Tool for Analyzing US Agriculture in a Globalizing World." *Brooking Discussion Papers in International Economics*, 139, 1998.

McKibbin, W.J., and P. Wilcoxon. "The theoretical and empirical structure of the GCUBED model." *Economic Modelling*, 16(1), (1998):123-148. Robidoux, B., M. Smart, J. Lester, and L. Beausejour. "The Agriculture Expanded Getmodel: Overview of Model Structure." Unpublished, Department of Finance, Ottawa, Canada. 1989.



Ronneberger, K., M. Berrittella, F. Bosello, and R.S.J. Tol. "KLUM@GTAP: Spatially-explicit, biophysical land use in a computable general equilibrium model." *Economic Analysis of Land Use in Global Climate Change Policy*. T. W. Hertel, S. Rose, and R.S.J. Tol, eds., Abingdon: Routledge, 2009.


Sohngen, B., and R. Mendelsohn. "A Sensitivity Analysis Of Carbon Sequestration." M. Schlezinger, (ed.), *Human-induced climate change: An interdisciplinary assessment*. Cambridge: Cambridge University Press, 2006.

Stern, N. (ed) *The Economics of Climate Change: The Stern Review*. H.M. Treasury, UK, 2006.

Tan G., R. Shibasaki, K. Matsumora, K.S. Rajan. "Global research for integrated agricultural land use change modeling." *Asia GIS Conference 2003 Publications*. Wuhan Science and Technology Conference and Exhibition Center. 2003.

van Meijl, H., T. van Rheenen, A. Tabeau, and B. Eickhout. "The Impact of Different Policy Environments on Agricultural Land Use in Europe." *Agriculture Ecosystems and Environment*, 114(1), (2006):21-38.

Wong, G.Y., and J.R.R. Alavalapati. "The land-use effects of a forest carbon policy in the US." *Forest Policy and Economics*, 5, (2003):249-263.



© Centro Euro-Mediterraneo per i Cambiamenti Climatici 2009

Visit www.cmcc.it for information on our activities and publications.

The Euro-Mediterranean Centre for Climate Change is a Ltd Company with its registered office and administration in Lecce and local units in Bologna, Venice, Capua, Sassari and Milan. The society doesn't pursue profitable ends and aims to realize and manage the Centre, its promotion, and research coordination and different scientific and applied activities in the field of climate change study.

